

I. Information

Direct all technical questions to Bonnie Ankle, Jacoby Auditorium Manager at (541) 440-4704, email Bonnie.ankle@umpqua.edu

Theater Location & Directions: The Theater is located on the campus of Umpqua Community College in Roseburg, Oregon. South of Eugene and north of Medford, exit 129 off I-5. Follow the signs leading to the College.

In Case of Emergency

MERCY MEDICAL CENTER (541) 673-0611

POLICE 911

FIRE 911

UCC SECURITY (541) 440-7777

Accommodation Information: Hotels near the Theater:

- MOTEL 6 3100 NW Aviation Dr. Roseburg, OR 97470 (541) 672-3269
- SLEEP INN & SUITES 2855 NW Edenbower Roseburg, OR 97470 (541) 464-8338
- SUPER EIGHT 3200 NW Aviation Dr. Roseburg, OR 97470 (541) 672-8880
- HOLIDAY INN EXPRESS 375 w. Harvard Blvd., Roseburg, OR 97471 (800) 315-2621 or (541) 673-7517
- HAMPTON INN & SUITES -1620 NW Mulholland Drive, Roseburg OR, 97470 (541) 492-1212
- SUPER 8 BY WYNDHAM -3200 NW Aviation Drive, Roseburg OR, 97470 (541) 672-8880
- BEST WESTERN GARDEN VILLA INN -760 NW Garden Valley Blvd, Roseburg OR, 97470 (541) 672-1601
- DAYS INN BY WINDHAM -790 NW Garden Valley Blvd, Roseburg OR, 97471 (541) 673-6000

II. Personnel Policy

Jacoby Auditorium requires a house manager to be present at all events even if the show is bringing in its own sound and/or lighting system or operator.

III. Non-Union Theater

Jacoby Auditorium is a non-union theater that does not employ union members as technicians or stagehands. For large labor calls. We employ the use of casual labor, and work study students.

IV. No Smoking Policy

There is no smoking allowed in Jacoby Auditorium. This policy applies to artists, members of their band or crew, the staff of the Theater and the audience. Smoking is permitted outside the Theater only, in designated areas away from entry doors.

V. Controlled Alcohol Policy

Controlled alcohol service is available. Contact the Special Events Office for more information: Phone: 541-4404705, or e-mail: events@umpqua.edu.

VI. Auditorium Seating

Section I (A-S) = 810. Section II (AA-EE) = 200. Total House Capacity = 1010.

The seats are arranged in a continental seating plan with handicap seating available on the house left side. There are exceptional sightlines from all seats in the house. Seats located on the extreme right and left sides have slightly obstructed entrances and exits, however, these seats are satisfactory for most concerts, recitals, and center stage performances.

* For a seating diagram please contact the Jacoby Auditorium Manager or visit our website at www.umpqua.edu/images/FormPubs/SpecialEvents/jacoby_seating.pdf

VII. Stage

Standard measurement reference points:

- The center line (CL): A line separating stage left from stage right.
- The plaster line (PL): A line at the opening of the proscenium that is considered to be the foremost edge of the stage.
 - Width of Proscenium Opening = 60' 0" with the main valance. There is a formal proscenium arch.
 - Height of Proscenium = 21' 9"
 - The main or grand valance can be lowered to reduce the height of the proscenium.
 - Height from the Grid to the stage floor = 52'
 - § The distance from the stage floor to the grid is the same in all locations.
 - Distance from front of apron or thrust to plaster line = 7' 5"
 - § The main stage is thrust 7' 5" forward with a permanent portion of the stage floor.
 - Distance from plaster line to back wall = 37' 8"
 - § The space behind the back wall acts as the crossover and is 5' wide.
 - Distance from the front of the pit cover to the first row of seats = 2'
 - Wing space – stage left = 7'
 - The locking rail is stage left.
 - Wing space – stage right = 32'
 - § The scene shop is located off stage right. Wing space *includes* shop depth.
 - Stairways to audience: Two 36" wide stairways of three steps each lead from either side of the apron into the side aisles.
 - Orchestra Pit: The pit is located under a removable cover that is in place for most performances. The pit is semi-circular in shape. The pit cover is non-hydraulic.
 - Acoustic Shell: A thirteen-section collapsible Wenger Corporation acoustic shell is available upon request. Each section is 3' wide and variable in height. The sections of shell are broken down and stored on carts normally located upstage behind the CYC.
 - Stage Floor: The permanent stage floor is made of hard maple and has a stained finish. NO SCREWS OR NAILS MY BE DRIVEN INTO THE STAGE FLOOR. Only Theater provided spike tape may be used on the floor.
Floor Covering: Jacoby does not own or use any covering on the stage floor.
 - Risers: Inventory of Risers:
 - Choral Risers = Five (5) sections of three level risers
 - Modular seating floor panels (8" height or 12" height) available upon request

Backstage Entrances:

Artist's entrance – A single-door entryway located stage left past the loading dock in the rear of the Theater.

Stage right entrance – A double-door entryway located directly from the loading dock.

Center stage – Retractable 10'X12' door for loading purposes located directly rear of stage.

Loading Dock:

At the rear of the theater the loading dock allows direct access to the stage via the scene shop, stage right. The loading dock is at stage level. There are two double doorways that are 6' 11" high and 6' 10" wide. A walk board or portable ramp is desirable for load-in and load-out. The Theater does not own a walk board or portable ramp.

WARNING: Slight decline at entrance to dock.

VIII. Dressing Rooms

The theater has two company dressing rooms and one star dressing room. All three backstage dressing rooms have bathrooms, running water, sinks and showers. Each contains a wall of well-lighted mirrors, dressing tables, and a built-in clothing rack. A steamer, iron and ironing board and rolling clothes racks are available on request.

IX. Fly System

The theater has 30 lines set in the "single purchase" fly system. Each line is equipped with a 70' batten.

*Preset lines can be altered to the needs of the production with some exceptions. *Contact the Technical Director for Information.*

Arbor capacity = 3,500 lbs.

X. Grand Curtain

The grand or main curtain is made of heavy, light gray, theater velour that travels or flies with hand-operated lines stage left.

XI. Masking Curtains

Legs: The stage is equipped with five sets of legs which are black and measure 12' wide and vary in height from 24' to 36'.

Teasers or Borders: The stage is equipped with four black borders. Each border measures 12' long and 60' wide gathered and 12' long and 90' wide un-gathered. The borders are normally hung un-gathered.

Traveler: The stage is equipped with one black traveler that hangs at mid stage. The traveler flies or travels with hand-operated lines, stage left. The traveler is permanently hung on line set 19, 23' 6" upstage of the plaster line.

Backings (Blacks and Cycloramas): The stage is equipped with blacks that are permanently hung on line set 7, 9'5.25" upstage of the plaster line. The stage is also equipped with two pro CYCs. One is permanently hung upstage and is 70' wide and 25' high. The other pro CYC is hung mid-stage and measures 34' wide and 20' high. The mid-stage pro CYC acts as a projection screen from both front and rear.

XII. Lighting

Location of the control booth: The control booth is located at the back of the theater at center. It sits behind row Q and in the middle of rows R and S. The booth contains the stage lighting board, controls for all house lights and the Front of House sound mixing position.

- The theater does employ a standard lighting plot permanently hung. Specials can be added as needed.
- Call Jacoby Auditorium Manager/Technical Director to arrange a pre-production meeting with our technical crew. To view list of lighting equipment see Appendix A.

Color Scrollers: The Theater has 26 Wybron Forerunner Color Scrollers. These Scrollers are controllable from the lighting console. Front of House (FOH), 1st through 3rd electric and the side ladders have permanently wired data lines for scroller operation.

Lighting Board: The Theater currently employs an ETC Express 72 x 144-channel lighting console. A wired remote focus unit is also available for calling up channels, dimmers, and cues from the stage.

Dimmers: The Theater is equipped with 225 separate dimmers. It is a dimmer/circuit system with solid-state EDI dimmer modules. Each dimmer has a capacity of 2400 watts.

Connectors: The Theater is equipped with various lengths of connecting cables for use in connecting lighting instruments to circuits. The Theater employs only three-pin stage pin connectors. We also have a variety of electrical adaptors available for use.

Color Filters: The Theater has an extensive inventory of Rosco, Gam, and Lee color filters. Please inquire about specific colors and cost.

Fog Machine: The Theater owns a High End F-100 water-based fogger with both thick and mist types of fog in stock.

XIII. Electrical

The company switch is located off stage right. We require our house electrician to hook into the 220V 3 phase (4wire), 400-amp panel. There are two 30-amp u-ground connections directly behind the proscenium. We do have an on-stage power distro available for use. If your event is going to require an electrical hook-up, please contact our Technical Director as soon as possible.

XIV. Sound System

- 1) Flying cluster of three Mackie SRM 450's hang above the orchestra pit in center, left, and right baffle areas.
 - 2) 2 R to L JBLPRX535 mid-high speakers
 - 3) 2 L to R JBLPRX615 subs
 - 4) 1 SoundCraft Expression Digital Mixer (32 channels)
- Currently the system is capable of running six monitor mixes.
 - Call Jacoby Auditorium Manager/Technical Director for specific sound system details. To view list of sound equipment see Appendix - B.
 - We also have access to sound contractors when technical riders require more than the house system will support, please call for more information.

XV. Pianos

The theater has two 9' concert grand pianos. The Steinway 9' Concert Grand is permanently stored in Jacoby by the Roseburg Community Concert Association. This piano is available for all events; however, the use fee must be paid in advance to the Roseburg Community Concert Association. Call the Theater Manager/Technical Director for more information on this rental.

The theater also owns a Mason and Hamlin 9' Concert Grand that is available to rent for all events.

XVI. Additional Equipment

- 1 Epson Pro L1500 Laser Projector
- 1 27'x25' rear and front projection screen
- 120 Black Stage Chairs
- 70 Black Music Stands
- 10 Folding 6' Tables
- 2 Non-Folding 5 ½' Tables
- 1 Complete Set of Timpani
- 1 Bass Drum on Stand
- 1 Lectern
- Several Ladders
- 1 JLG Man Lift 20' maximum platform height.

The above items are available on request. Please inquire with the Jacoby Auditorium Manager.

Contact Phone Numbers for Umpqua Community College Special Events Office

Bonnie Ankle – Jacoby Auditorium Manager/Technical Director

Bonnie.Ankle@umpqua.edu 541 440-4704

Facility Scheduling/Special Events Assistant
Events@umpqua.edu 541 440-4705

24-Hour Campus Security 541 440-7777

Main College Switchboard 541 440-4600

Fine and Performing Arts Department 541 440-4691

Appendix - A

Lighting System Detail

Lighting Instruments: The Theater's lighting instruments are as follows:

- 20 Colortran 30-degree, fixed focus
- 12 Altman 20 to 40-degree zooms
- 24 Altman 360Q, fixed focus
- 14 Altman 4 ½ min-zoom, long throw
- 5 Altman 4 ½ min-zoom, short throw
- 14 ETC 10-degree, Source Four
- 6 ETC 26-degree, Source Four
- 8 ETC 25 to 50-degree zoom, Source Four
- 1 ETC 25 to 50-degree zoom, Source Four Jr.
- 30 ETC Source Four Parnell
- 6 Altman PAR 64
- 26 Banks of Altman Strip Lights
- 5 Altman Far CYC (four windows each)
- 2 Lycian Follow Spots
- 1 Mirror Ball with 2 pin spots

Jacoby's house lighting plot: www.umpqua.edu/images/FormsPubs/SpecialEvents/lighting.pdf

Hanging Positions:

Front of House Lighting Positions:

F.O.H. Slot (beam position): Located above row Q. There are 28 circuits in FOH numbers 1-28.

Pit Slot: Located above row D. There are 19 circuits, numbered 29-47

Side Slots: Located in the auditorium walls on either side of the stage. Each contains 4 circuits; stage left numbered 48-51 and stage right numbered 51-60.

Onstage Lighting Positions:

First Electric: 3' 5" from the plaster line. Contains 32 circuits, dimmers 62-92.

Second Electric: 11' 5" from the plaster line. Contains 20 circuits, dimmers 93-112.

Third Electric: 18' 5" from the plaster line. Contains 20 circuits, dimmers 113-132.

Fourth Electric: 26' from the plaster line. Contains 20 circuits, dimmers 113-152.

Fifth Electric: 32' 6" from the plaster line. Contains 20 circuits, dimmers 153-176.

Strip Lights: Located 4' 5" from the plaster line. Contains 5 circuits, numbered 219-223.

Side Ladders: Located in wings 1, 2, and 3 on stage left and stage right.

- Jacoby Auditorium has a dimmer-per-circuit system. We do not have physical patch panel. We use a computer soft-patch.
- If your event will require any special lighting, please let our technical staff know as soon as possible so we have ample time to prepare for your arrival.
- The theater employs a house lighting plot. The house plot is extremely versatile and allows for individually controlled pools on-stage. Specific show lighting requires a minimum of 2 weeks advance notice.

Appendix - B I.

Sound System Details

- Mic stands with or without boom extensions are available on request

Console: 1 SoundCraft Expression Digital Mixer (32 channels)

Speakers: 2 JBLPRX535 mid-high speakers located stage right to left
2 JBLPRX615 subs located stage left to right

6 JBL Eons

2 Bose 802 overhead stage monitors

Wired Mics: 8 Shure SM 58's

4 Shure SM 81's

2 AKG C2000 B's

2 Shure PZM Area Mics

Wireless Mics: 4 Audio Technica 3000 Wireless

DI Boxes: 4 DB 100 Rapco

CD Player: 1 Marantz PMD 320 w/ Pitch Control

CD Recorder: 1 Marantz PMD Single try CD Recorder

Sub Snakes: 1 150' sub snake 16 channels

1 75' sub snake 12 channels

2 100' sub snake 8 channels

- Connections for video projectors and other audio sources are available on request.
- The on-stage audio patch panel is located on the stage right proscenium wall
- Cat 6 connected to mixer

Pipe Schedule

Line #	Distance from Proscenium	Contents
1	11' 5"	Valance
2	1' 11.5"	Grand Curtain
3	3' 5.5"	1 st Electric
4	4' 5.5"	1 st Leg
5	5' 5.5"	Strip Light
6	8' 5.25"	Empty
7	9' 5.25"	Downstage Blacks
8	10' 5.25"	1 st Border
9	11' 5.25"	2 nd Electric
10	12' 5.25"	2 nd Leg
11	14' 5.5"	Blackout Drop
12	15' 5.25"	2 nd Border
13	16' 5.5"	Mid-stage Pro CYC
14	17' 5.5"	Empty
15	18' 5.5"	3 rd Electric
16	19' 6"	3 rd Leg
17	21'	Empty
18	22' 6"	Empty
19	23' 6"	Mid-Stage Traveler
20	24' 6"	3 rd Border
21	26'	4 th Electric
22	27'	Empty
23	28' 6"	4 th Leg
24	29' 6"	4 th Border
25	30' 6"	Empty
26	31' 6"	Empty
27	32' 6"	5 th Electric
28	33' 6"	Empty
29	34' 6"	Upstage Pro-Cyc
30	35' 6"	Empty/ Drop